# **PUBLIC AUCTION**

# ON BEHALF OF OAKDARE HOLDINGS PTY LTD DUE TO CLOSURE OF MOSSMAN DEPOT PLANT & EQUIPMENT, DEMOUNTABLES, VEHICLES, WORKSHOP

## WEDNESDAY 2 OCTOBER - 10AM START ON SITE - CNR REX RANGE & LOWER CASSOWARY ROAD, MOSSMAN



**PLANT & EQUIPMENT:** 2010 Kobelco SK260LC-8 Excavator, 2006 Ingersoll Rand DD-34HF 4T Twin Drum Roller, 1996 Ingersoll Rand SD70D 7T Roller, 28,000L Self Bunded Fuel Pod, 1981 Hallmark Bogie Axle Flat Deck Trailer & Stock Crate, Yanmar 62 kVA & 25 kVA Generators, 10,000L Slide in Water Tank, 12T Tipper Body, Kubota 7kVA Welder Generator, (2) Ice Cold Rooms. **DEMOUNTABLES:** (2) 5 Room Sleeping Quarters, 6 Mtr Portable High Top Kitchen Container, On Site Shipping Container. **VEHICLES:** 2011 Mahindra 4WD Utility, 2010 Ford Ranger 4WD Utility, 2008 Toyota Hi Ace Mini Bus, 1999 Nissan Navara Utility, 1997 Kenworth T401 Prime Mover, 1993 Toyota Landcruiser 4WD Utility, 1989 Toyota Landcruiser 4WD Utility. **WORKSHOP:** Kenworth Truck Parts incl. Cummins ISX Engine Blocks, Sleeper Cab, Diffs, Front Axles, Brake Parts, Trunnion, Door Panels, Under Cab Tool Boxes, Aluminium Diesel Tanks, Truck Mounted Diesel Tank & Pump, Ring Feeder Cross Member Chassis, Maxtrans Tri Axle Dolly, F250 Utility Tray, Forklift Cage, Pedestal Grinder, AirMac Petrol Compressor.

# OPEN FOR VIEWING TUESDAY 1 OCTOBER 10AM - 4PM AND MORNING OF SALE FROM 8.30AM

Visit our website to subscribe for our Flyer & Catalogue www.quaidauctioneers.com.au

Note: A 10% + GST Buyers Premium will be added to the knockdown price of each lot sold. This is a GST Exclusive Sale.



Whilst care has been taken in the preparation of this brochure, and information has been derived from sources believed to be reliable, the Vendor and /or Agent expressly disclaim responsibility for any errors or omissions and do not warrant the accuarcy of details herein. All interested parties should make their own enquiries, searches and inspections.

#### TERMS AND CONDITIONS OF AUCTION SALE Quaid Real Estate Pty Ltd T/As QUAID AUCTIONEERS (ACN: 010331423) AS AGENT FOR THE SELLER (Hereinafter "the Company")

- 1. The highest approved bidder for each lot shall be the Purchaser subject to the approval of the Vendor and the reserve price if any.
- 2. If any dispute or difference shall arise as to the highest bidder the Auctioneer may re-open the bidding and resubmit the lot for sale commencing with the highest amount previously bid for the lot or the Auctioneer may decide on the highest bidder in such other manner as he in his absolute discretion shall deem fit. The decision of the Auctioneer shall be final and no bidder shall have any right of recourse against the Auctioneer, the Company or the Vendor.
- 3. Where any person is bidding on behalf of another person, the bidder must first provide the Auctioneer with a copy of his written authority to bid to the Auctioneer prior to the commencement of the Auction otherwise the bidder is deemed to be acting on his own behalf.
- 4. The Auctioneer may at his discretion refuse to accept any bid from any person and no bid if accepted shall be retracted without the consent of the Auctioneer. The Auctioneer may decline the offer for any lot or withdraw any lot or lots from sale prior to the fall of the hammer for the particular lot or lots.
- 5. Each purchaser shall immediately after the fall of the hammer for a lot show to the Auctioneer their bidder registration number.
- Immediately after the fall of the hammer a contract for the sale and purchase of the lot between the Vendor and the Purchaser shall be deemed to be formed at the purchase price upon the terms advised.
- If the Property is not sold at Auction the Vendor may personally, or by the Company or by any agent negotiate freely with any one or more of the bidders or any other person(s) without incurring liability to any of the bidders.
- 8. The whole of the lots having been available for inspection prior to the auction no allowance or refunds will be made nor will any Purchaser be permitted to reject any lot on the ground that it is not correctly described in the catalogue. The said lots are to be taken with all faults and defects (if any) and will be at the risk of the Purchaser on the fall of the hammer and thereafter the Vendor will be free of all responsibility for safe guarding the lot and will not be liable for any loss of or damage to the lot sold whether such loss or damage is caused or contributed to be any act neglect or default of the vendor its servants employees or agents.
- 9. Neither the Vendor nor the Company make any representation express or implied or give any warranty express or implied as to the state condition or suitability of the lot or any part of it either as it exists or for any proposed usage. Any bidder/Purchaser must rely entirely upon their own inspection searches enquiries or advices as to any matter affecting the lot or any part of it. Any information given in relation to the lot by the Vendor or the Company or any agent on their behalf is given and accepted entirely without responsibility.
- 10. The purchaser accepts all risk and responsibility for losses, damages, personal injury and other consequences resulting directly or indirectly from the purchase of any lot and indemnifies the Vendor and the Company against all expenses, losses, damages and costs the Vendor or the Company may incur directly out of or in connection with: a) any personal injury caused to any person as a result of the use of the lot purchased from the Vendor/Company; b) any damage caused as a result of the use of any lot purchased from the Vendor/Company; c) any change caused as a result of the use of any lot purchased from the Vendor/Company; and c) any negligence, breach of duty or breach of statute by the purchaser in connection with the use of the lot purchased from the Vendor/Company. To the maximum extent permitted by law, the Vendor/Company excludes all liability arising directly or indirectly from the purchase of the lot by the Purchaser.
- 11. The balance of the purchase price shall be paid by the Purchaser in cash, direct debit, eftpos, credit card (visa or mastercard), no later than 4.00pm AEST on the day of the sale (unless prior arrangements have been made by the Purchaser with the Vendor). In the event of delivery being made or possession obtained by the purchaser prior to payment in full of the purchaser price title to and property in the lot does not pass to the Purchaser until payment has been made in full.
- 12. Should any deficiency arise between the quantity of goods described at the time of sale and that available at the time for delivery the Purchaser shall take and the Auctioneer shall be required to effect delivery of only the quantity actually so available. No compensation will be paid in respect of any such deficiency but the Purchaser may claim a pro-rata adjustment of the purchase price. No adjustment will be made unless the Purchaser makes this claim at or before the time of delivery.
- 13. All lots which have been paid for in full must be removed by the Purchaser at the Purchaser's expense by 4.30pm AEST on the day of the sale (unless prior arrangements have been made by the Purchaser with the Vendor) or as specified at the time of sale.
- 14. Upon any Purchaser failing to comply with any of the above conditions all monies received in part payment of the purchase price shall be absolutely forfeited to the Vendor and all lots not removed as aforesaid may be re-sold by public auction or private contract and the deficiency in price (if any) on such resale together with all costs and charges incurred in attending thereto shall be paid forthwith by the defaulting Purchaser and if not paid the Vendor has the right to recover such amount from the defaulting Purchaser as a debt and the Purchaser shall have no claim against the Vendor or the Company as a result of same.
- 15. Time shall be of the essence of the sale of any lot.
- 16. The Auctioneer reserves the right to one bid.
- 17. Terms are strictly cash before delivery.
- 18. Special Conditions Regarding: Electrical Appliances: These appliances are in a used condition and no warranty is given that their present condition complies with the safety requirements of the State Electricity Commission or that they are otherwise fit for use. It is pointed out that under the State Legislation the Purchaser is required before re-sale or use to have the appliance examined and repaired by a registered electrical contractor.
- 19. The Purchaser acknowledges that all lots purchased are subject to a "Buyers Premium" at a rate as stated in the Company's advertisements and catalogues. The Buyers Premium will be payable at the same time as the purchase price and is payable to the Company in consideration for services and facilities provided to the Purchaser by the Company.
- 20. A right to bid by or on behalf of the Vendor is expressly reserved.
- 21. Unless otherwise stated, goods are sold on a GST Inclusive basis.
- 22. The purchaser acknowledges that the Company is acting as authorised agent of the Vendor and any rights of action he may have in respect to the lots purchased by him lie against the Vendor and not the Company.
- 23. No servant or agent of the Company is authorised to waive, add to or vary these conditions without the written authority of the Managing Director.
- 24. \* Denotes that the Company has a beneficial interest. These conditions are to be read in conjunction with any special conditions outlined in the sales catalogue. Where there is inconsistency between the conditions herein and the Auction Catalogue, the Catalogue will take precedence.

#### NOTE TO BUYERS:

- THIS IS A GST EXCLUSIVE SALE.
- A 10% + GST BUYERS PREMIUM APPLIES TO THE KNOCKDOWN PRICE OF EACH LOT SOLD.
- WHERE MULTIPLE QUANTITIES ARE OFFERED AT AUCTION, LOTS ARE SOLD ON A PER EACH BASIS, WITH THE HIGHEST BIDDER GIVEN THE OPPORTUNITY TO TAKE 1, OR MORE AT THE BID PRICE, OR IN MINIMUM QUANTITIES AS NOMINATED BY THE AUCTIONEERS AT THE TIME OF SALE.
- PLANT SAFETY INFORMATION: EQUIPMENT OFFERED FOR SALE AT THIS AUCTION MAY NOT COMPLY WITH WORKPLACE HEALTH & SAFETY STANDARDS. PRIOR TO RE-USE PURCHASERS ARE REMINDED OF THEIR OBLIGATIONS AS AN OPERATOR OF PLANT UNDER RESPECTIVE STATE BASED OHS LEGISLATION TO COMPLETE PLANT RISK ASSESSMENTS FOR THE INSTALLATION, COMMISSIONING AND OPERATION FOR THE PLANT ITEMS PURCHASED.
- ENCLOSED FOOTWARE MUST BE WORN AT ALL TIMES WHILST ON SITE.
- FORKLIFT WILL BE AVAILABLE TO ASSIST IN LOADING ON THE DAY.
- REMOVAL OF ITEMS PURCHASED: ALL PURCHASED LOTS ARE TO BE REMOVED FROM THE PROPERTY BY THE BUYER, AT THE BUYERS EXPENSE. ALL LOTS MUST BE REMOVED NO LATER THAN 4PM ON THE DAY OF SALE, UNLESS PRIOR ARRANGEMENTS HAVE BEEN MADE WITH THE AUCTIONEER.
- PAYMENT ACCEPTED CASH, DIRECT DEPOSIT, EFTPOS, VISA & MASTERCARD ONLY.

BANK ACCOUNT DETAILS FOR DIRECT DEPOSITS:

BANK: BRANCH: BANK ACCOUNT NAME: BRANCH NO.: ACCOUNT NO.: ANZ ABBOTT STREET, CAIRNS QUAID REAL ESTATE TRUST ACCOUNT 014 734 3818 39175

LOT NO QTY DETAILS

# SALE STARTS LOT 1 AT 10.00AM

1	1	CP 2006 Ingersoll Rand 4T Twin Drum Roller Model DD-34HF, Powered with 4 Cylinder Kubota Engine PID: 189852 Indicating: 833.5 Hrs Roller is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
2	1	<b>2007 Trans Tank Self Bunded Diesel Fuel Pod</b> incl. Fill-Rite Diesel Pump, 120 Litre/Minute Capacity, Smart Fill Fluid Management & Tank Gauging System, Model GEN2, Tank Size: T30, Capacity: 31,400 Litres
3	1	CP 1996 Ingersoll Rand 7T Roller Model SD70D, Powered with 4 Cylinder Diesel Engine Serial No.: 141186 Indicating: 5,076.6 Hrs Roller is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
4	2	Five Single Room Demountable Single Sleeping Quarters Skid Mounted, 3M x 12.5M
5	1	CP 2011 Mahindra 4WD Utility Model PIK Up, White, Manual, 4 Cylinder Diesel Engine No.: HGB4E46257 VIN: MA1TC4HGNB2E47304 Indicating: 249,900 Kms Vehicle is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
6	1	CP 2010 Ford Ranger XL 4WD Utility PK Series, White, Manual, 4 Cylinder Diesel Engine No.: WEAT1137649 VIN: MNALSAE90AW872977 Indicating: TBA Vehicle is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
7	1	CP 2008 Toyota Hi Ace 12 Seater Commuter Mini Bus White, Automatic, 4 Cylinder Diesel Engine No.: 1KD1839240 VIN: JTFST22P000004370 Indicating: 232,697 Kms Mini Bus is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
8	1	CP 1999 Nissan Navara DX2.7D Dual Cab 4WD Utility D22 Series, Silver, Manual, 4 Cylinder Diesel Engine No.: QD32067366 VIN: JN1AJUD22A0003458 Indicating: TBA Vehicle is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.

LOT NO	QTY	DETAILS
9	1	CP 1993 Toyota Landcruiser Utility White, Manual, 6 Cylinder Diesel Engine No.: 1HZ0087667 VIN: JT731PJ7508517058 Indicating: 735,000 Approx. Vehicle is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
10	1	<b>CP 1989 Toyota Landcruiser Utility</b> Yellow, Manual, 6 Cylinder Diesel Engine No.: 1200531 VIN: JT731HJ7509504254 Indicating: 427,404 Kms Vehicle is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
11	1	12T Steel Tipper Body
12		Vacant Lot
13	1	CP 2010 Kobelco Steel Track Excavator Model SK260LC-8, Turquoise, 4 Cylinder Diesel Chassis No.: LL1205284 Engine No.: J05ETB12536 Indicating: 8,201 Hrs Excavator is sold witout a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
14	1	CP 1997 Kenworth T401 Prime Mover Truck Silver, 18 Speed Road Ranger Gear Box, 6 Cylinder Diesel GVM: 24100 GCM: 45000 Engine No.: 3481668 VIN: 6F5000000VA417212 Indicating: TBA Truck is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
15	1	CP 1981 Haulmark Flat Deck Semi Trailer Bogey Axle incl. Cattle Crate TARE: 7980 ATM: 199999 Chassis No.: RT866344 Trailer is sold without a statutory warranty, is not subject to a cooling off period and is sold unregistered and without a rwc.
16	1	On Site 6M Shipping Container Fitted with Lighting and Specialised Racking to suit Road Signs, Warning Cones etc.
17	1	<b>Qty of Assorted Road Plant Road Signs</b> incl. Various Speeds, Road Work Signs, Slow & Stop Signs & Assorted Safety Signs (Container Contents)
18	1	High Top 6M Shipping Container Fitted with Kitchen incl. Work Shelving, Sink, Storage Cupboards, Airconditioning & Electrical Fittings, Accessories incl. Twin Door Refrigerator Freezer, 4 Burner BBQ, (2) Trestle Tables, Tucker Box Freezer, Microwaves, Toaster & Kettle, Pots & Pans, Crockery & Hisense Upright Refrigerator Freezer

LOT NO	QTY	DETAILS
19	1	Fabricated Steel Frame Shelving Unit 3 Tier, Metal Frame with Metal Shelves, 2950 x 800 x 1600mm
20	1	<b>62 kVA Enclosed Silenced Diesel Generator</b> Model YEG750DTLS5F, Powered with 4 Cylinder Diesel Engine, In-Built Diesel Fuel Tank Indicating: 3,441 Hrs
21	1	Norfoam Self Contained Ice Coldroom with Refrigeration Unit, 1200 x 1200 x 2000mm
22	1	Chunk Ice Self Contained Ice Coldroom with Drop In Motor & Evaporator, 1800 x 1200 x 2000mm
23	1	Kenworth Sleeper Cab incl. Three Storage Compartments
24	1	<b>Kubota Diesel Generator Welder</b> Powered with 4 Cylinder Kubota V800 Diesel Engine & 7kVA Generator incl. Frame & Built-In Diesel Tank
25	1	AIRMAC Petrol Compressor Model T30P, 125 Litre Tank, Powered with Honda 4 Stroke Petrol Engine, Belt Drive
26	1	WIA Weldmatic 255S Welder incl. Wire Feed & Gauges
27	1	<b>Yanmar 25kVA Diesel Generator</b> Powered with 4 Cylinder Yanmar Diesel Engine, Model Y8250 Indicating: 17,000 Hrs
28	4	Kenworth Aluminium Truck Diesel Tanks with 650 Litre Capacity (Square)
29	1	Kenworth Aluminium Truck Diesel Tank 450 Litre Capacity (Round)
30	1	Truck Mounted Steel Rectangle Diesel Tank incl. Delivery Hose, Filter & 12V Pump, Approx. 500 Litres
31	1	Set of Stair Runners Galvanised Frame with Timber Steps, 7 Step, Note: One step requires repair
32	1	Set of Stair Runners Galvanised Frame with Timber Steps, 8 Step incl. Galvanised Rail
33	1	Two Wheel Fertiliser Cart
34	1	Aluminium Grass Seed Roller
35	1	Forklift Man Cage Note: Plate not sighted
36	1	<b>Qty of Landscaping Feature Rope</b> 100mm Diameter (Pallet Contents)
37	1	<b>Qty of Square Terracotta Tiles</b> 250 x 250mm (Pallet Contents)

LOT NO	QTY	DETAILS
38	1	<b>Qty of (3) Rolls of Insulation Foam</b> 200mm Wide
39	1	Pilot Ark 3 Phase Welder
40	1	Honda Plate Wacker Packer Powered with 5.5 Hp Honda 4 Stroke Petrol Engine
41	1	Husqvarna Concrete Cut Off Saw Model K960
42	1	Honda Fire Fighting Pump Powered with 5Hp Honda 4 Stroke Petrol Engine & Davey Fire Fighting Pump Model 5255H-0
43	1	Honda Stationary Pump Motor incl. Impellar, Model GX160
44	1	Honda Stationary Pump Motor incl. Impellar 5Hp Motor
45	1	Petrol Water Pump Powered with Subaru 6Hp 4 Stroke Petrol Engine & Onga Pump
46	1	Sludge Pump Motor System incl. Honda Flexi Drive Pump with 5.5 Hp 4 Stroke Petrol Engine, Flexi Drive Sludge Pump & Qty of Lay Flat Hose
47	1	Qty of Assorted Timber Dunnage
48	1	Trailer Axle incl. Set of Olympic Tyre & Rims
49	5	Assorted Fabricated Truck Frames to suit Poly Pipe
50	1	Tail Shaft to Suit T650
51	1	Qty of (2) Assorted Trailer Axles
52	1	Qty of (3) Trailer Axles
53	1	<b>Qty of (2) Trailer Axles</b> Note: Various Sizes
54	1	Kenworth Front Truck Axle
55	1	Qty of (5) Assorted Trailer Axles
56	1	Trunnion to Suit Kenworth T650
57	1	Dana Spicer Rear Diff
58	1	Kenworth Rear Diff
59	1	Kenworth Front Diff

LOT NO	QTY	DETAILS
60	1	Kenworth Front Diff
61	2	K Hitch Turn Table Tops
62	1	Frader Dolly Draw Bar
63	1	Holland Ball Race Turntable
64	1	Azmeb Tri Axle Dolly Frame
65	1	Maxi Trans Tri Axle Dolly Frame with Turntable
66	1	Portable Fabricated Steel Trench Shoring Frame
67	1	<b>350mm Auger</b> to Suit Mini Excavator
68	1	Multi Purpose Fabricated Steel Storage Frame with Roofing Iron Sides & Roof, 1200 x 1200 x 2400mm
69	1	Mobile Fabricated Steel Storage Frame 2 Tier, 750 x 2000mm
70	1	Galvanised Double Sided Herringbone Storage Rack 3 Tier, 1800 x 5000mm
71	1	Fabricated Steel Storage Frame 4 Tier with Extendable Herringbone Fingers, Double Sided, 1800 x 3500mm
72	1	Fabricated Steel Shelter Frame to suit Two Containers incl. Beams, Roofing Iron & Top Hat
73	1	Hardy 400 Litre Spray Tank in 3 Point Linkage Frame Note: No Motor
74	1	Fibreglass Spray Tank Approx. 500 Litres incl. Spray Branch & Hose
75	1	Fabricated H Frame to Suit Utility
76	1	Set of 3 Point Linkage Offset Discs 16 Disc
77	1	Howard Rotary Hoe 2100mm Wide
78	1	Set of Hodge Disc Plough 4 Disc, Serial No.: C48025
79	1	Set of 3 Point Linkage Spring Tyne Rippers 10 Tyne, Note: One Missing
80	7	IBC 1000 Litre Storage Containers with Aluminium Frame

LOT NO	QTY	DETAILS
81	1	<b>Qty of Assorted Timber Dunnage</b> (Pallet Contents)
82	1	Qty of (13) Assorted Galvanised Steel Gate Frames & Panel incl. Chain Mesh Gates, Various Sizes up to 6M Long
83	1	Spring Weeder Rake
84	1	10 000 Litre Truck Slide in Water Tank, incl. Centre Spray, Batter Spray, Drop Bars, Washdown Hose & Powered by Honda GX160 5.5Hp 4 Stroke Petrol Engine with Honda Pump
85	150	1M Concrete Blocks Approx. 2T per Block, Note: Various Styles
86	1	Fabricated Steel Tyre Inflation Cage Note: Not Complete
87	3	Sets of Safety Barricades Two Frames per Set
88	1	<b>Qty of Surveying Equipment</b> incl. Tripod & (2) Staffs
89	1	Fabricated Steel Framed Shelving Unit 7 Tier, incl. Various Styles of Shelves, 4800 x 1200 x 2600mm
90	2	Cement 4 Stage Vases 1800 x 600mm Diameter
91	3	Rolls of Black Plastic Stabilisation Matting 1250mm Wide
92	1	Roll of Stabilisation Matting 4800mm Wide
93	1	Roll of Used Weed Mat 3000mm Wide
94	1	8" Bench Grinder Mounted on Fabricated Pedestal Stand
95	1	Ice Pack Frame with Airconditioning Motor
96	1	Qty of (2) Assorted Cummins Starter Fly Wheels
97	1	Qty of BTW Suspension Arms & U Bolts (Pallet Contents)
98	1	Qty of (5) Assorted Air Brake Tanks incl. (2) Dolly & (3) Truck
99	1	<b>Qty of Assorted Air Bags</b> For Air Bag Suspension, Various Sizes (Pallet Contents)

LOT NO	QTY	DETAILS
100	2	Under Cab Tool Boxes to Suit Kenworth T650
101	1	Cross Member Chassis Frame Believed to be off Western Star
102	1	Qty of Assorted Truck Parts incl. Battery Box & Frame & Air Hose Mount to Suit Side Tipper
103	2	Kenworth Square Diesel Tank J Bracket Mounts to Suit 650L Tank
104	1	<b>Qty of Assorted Diesel Tank Framing</b> incl. Tank Straps & Cross Brace
105	1	<b>Qty of Round Aluminium Straps</b> to Suit Round Diesel Tank, 450L
106	1	<b>Qty of Assorted Pipe</b> incl. PVC 90mm & Black Poly 100mm
107	1	<b>Qty of Assorted Irrigation Pipe Fittings</b> incl. 150mm Pressure, Assorted Valves & Joiners incl. IBC in Frame
108	1	<b>Qty of Assorted Irrigation Pipe &amp; Plumbing Fittings</b> incl. Sullage Box, Sewerage & Pressure (Pallet Contents)
109	1	<b>Qty of Assorted Buckets of Irrigation Fittings</b> incl. Various Sizes incl. 63mm (Pallet Contents)
110	1	<b>Qty of Assorted Irrigation Fittings</b> incl. Elbows & Joiners & Sprinkler Heads (Pallet Contents)
111	1	<b>Qty of Assorted Camlock Fittings</b> to Suit Water (Pallet Contents)
112	1	<b>Qty of Assorted Black Poly</b> incl. Agg. Drain & 1/2" (Pallet Contents)
113	1	<b>Qty of (3) Assorted Drain Covers</b> Various Sizes
114	1	Galvanised Drain Cover with Swing Away Inspection Hatch, 950 x 630mm
115	1	<b>Qty of Valves &amp; Pipe Joiners</b> incl. (2) Joiners, Pump Flange & Ball Valve
116	2	Web Force Round Man Hole Covers with Frame, 720mm
117	1	Fabricated Hose Reel 550mm Diameter
118	1	<b>Qty of Assorted Gabion Baskets</b> to Suit Rock (Pallet Contents)

LOT NO	QTY	DETAILS
119	1	<b>Qty of Assorted Warning Cones</b> Various Sizes (Pallet Contents)
120	1	<b>Qty of Assorted Wire Lifting Slings</b> Various Sizes with Eyes (Pallet Contents)
121	1	Rear Diff to Suit Case 821C Loader
122	1	Wire Brush to Suit Rotary Boom
123	1	<b>Utility Canopy</b> 1880 x 2380mm with Carry All Top & Enclosed Roof
124	1	Toyota Hilux SR5 Utility Tray with Utility Bar
125	1	Ford Utility Tray To Suit F250 Single Cab incl. Front & Rear Bumper
126	1	AMA Laser Model AC1 to Suit Laying Pipe
127	1	<b>Qty of Icom UHF Radios &amp; Fittings</b> incl. Main Base Station to Suit 6, Charger & (3) Portable Base Stations, (5) Handheld Radios Only
128	1	<b>Qty of Assorted Kenworth Spare Parts</b> incl. Drivers Door, Inspection Hatches, Sleeper Bunk Door, Air Cleaner & Exhaust Cover
129	1	Fire Extinguisher Bracket Frame
130	1	<b>Qty of Western Star Parts</b> incl. Air Intake Pipes & Panel
131	1	<b>Qty of (2) Hydraulic Rams</b> incl. (1) with 1000mm Ram
132	1	<b>Qty of Assorted Cummins Parts</b> incl. Turbo, Kenworth Steering Box, Alternator & Air Compressor (Pallet Contents)
133	2	Exhaust Shrouds to Suit Western Star
134	1	<b>Qty of Air Intake Parts</b> to Suit Western Star
135	3	Bug/Stone Catcher Guards to Suit Western Star
136	1	<b>Qty of Assorted Brake Parts</b> incl. Brake Pads, Brake Shoes, Backing Plates (Pallet Contents)
137	1	Qty of Assorted Truck Brackets incl. Tow Brackets

LOT NO	QTY	DETAILS
138	1	Qty of Electric Cables Below Vinyl Stripping & Warning Tape
139	1	<b>Qty of Assorted Axles &amp; Drive Shafts</b> incl. (4) Axles & (2) Steering Shafts
140	1	<b>Qty of Assorted Hemp Rope</b> incl. (1) Lifting Sling
141	1	Fabricated Bracket Bench 480 x 900mm
142	1	Rectangle Workshop Bench 3 Tier, Steel Frame & Shelves, 3000 x 840 x 1150mm
143	1	<b>Qty of Assorted Hydraulic &amp; Air Hoses</b> Various Sizes & Lengths (Pallet Contents)
144	1	Fabricated Steel Tyre Rack 5000 x 850mm
145	1	Fabricated Steel Tyre Rack 5000 x 750mm
146	1	<b>Qty of Assorted Spare Parts</b> incl. Hydraulic Fittings, Pins, PTO Gear Boxes & Window Wiper Washer Tank
147	58	Chain Dogs
148	1	Qty of Assorted Perspex & Glass Windows to Suit Kenworth & Western Star
149	1	<b>Qty of Truck Turntable Parts</b> incl. Turntable Handles, 3 Way Tail Gate Pin & Side Tipper Pins
150	1	<b>Qty of Western Star Spare Parts</b> incl. Jack Shaft, Suspension Hangers & Fan, (Pallet Contents)
151	1	<b>Qty of Assorted Spider Hubs</b> Various Sizes, (Pallet Contents)
152	1	Intercooler to Suit Western Star
153	1	<b>Qty of Assorted Cummins Engine Parts</b> incl. ISX Fuel Rocker & Cummins Rockers etc.
154	1	Qty of Assorted Hardware Items incl. Concrete Tees, Paint, Lifting Covers & Trowels & Blind Rivets
155	1	Qty of Assorted Lifting Chains & Hooks
156	1	200mm D Shackle
157	1	Qty of Assorted Excavator Teeth & Attachments incl. CASE Wear Plates
158	1	110 Volt Inverter

LOT NO	QTY	DETAILS
159	1	Used Impactor Rotor Shaft Bearing 800 Hours Work, Stored in Oil
160	1	FPA Black Poly Under Tray Water Tank
161	1	<b>Qty of (3) Assorted Machinery Chairs</b> Various Conditions
162	1	<b>Qty of Assorted Truck Rims</b> incl. Spider & 10 Stud (Pallet Contents)
163	8	Assorted Wheel Spacers
164	1	Excavator Drive Cog 620mm Diameter, to suit Kobelco
165	50	1650mm Star Pickets
166	1	<b>Qty of Assorted Star Pickets</b> Various Sizes up to 2M Long, (Pallet Contents)
167	1	Set of Trailer Landing Legs
168	1	<b>Qty of Assorted Ring Feeder Parts &amp; Ring Feeders</b> incl. Vorlandi (Pallet Contents)
169	1	Set of Kenworth T650 Leaf Springs & Parts
170	1	Qty of Assorted Hardware Items incl. Over Sized Fabricated Spanners, Lifting Strap, Stillsons & Dunnage Timber
171	1	Aluminium Tool Box to Suit Kenworth T401
172	1	Fabricated Steel Framed Tyre Rack Two Bay, 2 Tier, Approx. 4000 x 750mm
173	1	Cummins 6 Cylinder Signature Engine Block Pre EGR
174	1	Cummins 6 Cylinder ISX EGR Engine Block
175	1	Cummins 6 Cylinder ISX EGR Engine Block
176	1	Cummins EGR Oil Cooler
177	1	Qty of Assorted Cummins Spare Parts & Covers incl. Covers & Engine Parts
178	1	Cummins 6 Cylinder ISX Engine Head
179	1	Cummins 6 Cylinder Oil Sump
180	1	Qty of Assorted Steel Cut Offs & Lengths of Steel incl. Aluminium, Round Tube and I Beam
181	1	Soosan Excavator Rock Hammer Model 80 to Suit 20T Up

LOT NO	QTY	DETAILS
182	2	Tri Axle Dog Trailer Draw Bars
183	2	Ice Pack Covers
184	1	Portable Galvanised Framing System
185	2	Concrete Man Holes incl. (1) 1800mm & (1) Approx. 900mm High
186	4	Concrete Man Hole Covers Approx. 1000mm Wide
187	1	Qty of Assorted Conveyor Belt Rubber Matting
188	1	Stormwater Gutter Fitting 2400mm Long
189	1	Steel Fabricated Lifting Jib to Suit Loader, Note: Not Plated
190	1	<b>Qty of (4) Assorted Boxed Culverts</b> Various Sizes
191	1	Concrete Storm Water Guttering System 1300mm Long
192	1	<b>Qty of (2) Concrete Culvert Pipes</b> Various Sizes (1) 1000mm & (1) 900mm Long
193	1	Concrete Culvert Pipe 2400 x 700mm Diameter
194	1	Concrete Culvert Pipe 2400 x 1000mm
195	4	Round Concrete Counter Weights 600mm Diameter
196	15	Concrete Besser Blocks
197	1	<b>Qty of Assorted Roofing</b> incl. Iron & Perspex
198	2	Fabricated Forklift Engine Mounts/Frames
199	1	<b>Qty of Truck Mud Guard Parts &amp; Brackets</b> (Pallet Contents)
200	1	<b>Qty of Assorted Black Plastic Sheeting &amp; Tarpaulins</b> Various Sizes (Pallet Content)
201	1	<b>Qty of Assorted Wire Rope</b> incl. Slings, Various Sizes & Lengths (Pallet Contents)
202	2	Fabricated Storage Frames 2400 x 1050mm to Suit Timber or Steel

LOT NO	QTY	DETAILS
203	1	Steel Fabricated Tyre Frame 4000 x 700mm
204	1	<b>Qty of (3) Fabricated Workshop Benches</b> incl. (1) 150mm Vice
205	1	Steel Fabricated Storage Frame 2 Tier, 5000 x 750 x 1200mm
206	1	AE Clamshell Bucket 1200mm Wide
207	1	Mechanical Grab Bucket 1200mm Wide
208	1	AE Atlas Engineering Trenching Bucket 500mm Wide
209	1	Excavator Compactor Roller 550mm Wide
210	1	AE Atlas Engineering Tilting Cleaning Bucket 2100mm Wide incl. Twin Tilting Hydraulics & AEA Hydraulic Grab 850mm Wide
211	1	Excavator Single Tooth Ripper

# **IMPORTANT NOTICE**

### Electrical Power Tools and Equipment (Inc. electrical leads)

The electrical articles in this auction have not been proved to be electrically safe. The electrical articles have not been tested by a qualified electrical worker and have not been proved to be electrically safe.

# General advice on how to use second-hand electrical power tools and equipment (including electrical leads) safely

**General safe use** advice for electrical power tools and equipment etc. intended for use with rated voltage of not more than 250V for single phase appliances and 480V for other appliances.

This advice is not intended to replace specific manufacturer's information but can be used as a general guide.

This advice does not cater for young children or people who are physically weak.

You are urged to:

- Use the power tool only for its intended purpose.
- If the power tool is for indoor use only, do not use outdoors.
- Do not immerse the power tool in water unless it is designed for this purpose.
- Keep hands, fingers, feet, toes and hair away from dangerous moving parts, cutting blades and the like.
- Do not use electrical power tools in the rain.
- Make sure you have dry hands when operating an electrical power tool.
- Do not use a damaged power tool.
- A power tool may not be intended for use by children or people with an illness or disability without supervision.
- Young children should not be allowed to play with the power tool.
- Some power tools require special precautions for installation or user maintenance or both.
- The plug must be removed from the socket-outlet before any cleaning or maintenance is done.
- Do not place cord extension sockets or portable power outlet boards where they may be splashed or where moisture may get in.
- Ensure ventilation holes or outlets are not blocked or partially obstructed.
- If a fixed power tool does not have a supply cord and plug or other means for disconnection from the supply, a means for disconnection must be incorporated into the fixed wiring according to the Wiring Rules.
- If the supply cord or plug is damaged:
  - The manufacturer or its service agent or a similarly qualified person must replace the cord to prevent an accident.
  - Power tools with specially prepared cords must be replaced by a special cord or assembly available from the manufacturer or its service agent.
  - Other power tools that have a supply cord that cannot be replaced should be scrapped.
- The power tool should be maintained in order to ensure a long, useful life and to protect the operator against electric shock or mechanical mishaps.
- A safety switch can enhance electrical safety when using electrical power tools.